

INDEX MAPS.

T. 4 N. R. 7 E. 2nd Mer.

	414	414	414	414	413	413						
		415	415	415	415	416						
418	6	437	5	440	4	440	3	440	2	439	1	413
	437		438		438		438		439		435	
417	7	436	8	436	9	436	10	435	11	435	12	413
	433		433		433		434		434		431	
417	18	432	17	432	16	431	15	431	14	430	13	412
	428		428		429		429		430		430	
417	19	428	20	427	21	427	22	427	23	426	24	412
	424		424		425		425		425		426	
416	30	424	29	422	28	421	27	420	26	419	25	411
	423		423		422		421		420		419	
416	31	423	32	422	33	420	34	419	35	418	36	411
	409		409		409		410		410		410	

T. 5 N. R. 7 E. 2nd Mer.

	449		448		448		448		448		448	
			449		449		450		450		450	
451	6	472	5	466	4	463	3	459	2	455	1	447
	471		471		466		462		459		455	
451	7	471	8	466	9	462	10	458	11	454	12	447
	470		470		465		461		458		454	
451	18	470	17	465	16	461	15	457	14	454	13	446
	469		469		465		461		457		453	
451	19	469	20	464	21	460	22	457	23	453	24	446
	468		468		464		460		456		453	
450	30	468	29	464	28	460	27	456	26	452	25	446
	467		467		463		459		456		452	
450	31	467	32	463	33	459	34	455	35	452	36	445
	444		444		443		443		443		443	
					444		445		445		445	

The figures on the lines refer to the page.

443

Township N. 5 North, Range N. 7 East, 2. Mer. Ind^a
ch². lks

South Boundary Aug. 24th 1876

Went On Rand^m. S. boundary of Sec. 36

3.00 a Brook 3 lks. wide Course S.

15.00 a Spring Course S.

20.00 a do. " S.

33.00 a Brook 3 lks. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

41.50 a Brook 20 lks. wide Course S.

55.00 a do 3 " " " S.

80.00 Set temp^y. Cor. to Sec. 35 & 36

Good land & good water, timber Oak, Beech
& Sugar - last 1/2 uneven rich land, timber some

Went On Rand^m. S. boundary of Sec. 35

15.00 to River 250 lks. wide Course N. W.

40.00 Set temp^y. q^r. Sec. post

45.00 part of the River Course N.

68.50 to River 300 lks. wide Course S. W.

80.00 Set temp^y. Cor. to Sec. 34 & 35

This mile passes over rich bottom land
Overflows in time of high water

Went On Rand^m. S. boundary of Sec. 34

20.00 a River Course North

40.00 Set temp^y. q^r. Sec. post

45.00 Came to the River & kept down it

55.00 leave the River running S. W.

80.00 Set temp^y. Cor. to Sec. 33 & 34

Overflowed Bottom

Went On Rand^m. S. boundary of Sec. 33

40.00 Set temp^y. q^r. Sec. post

52.00 a Brook 3 lks. wide Course S.

76.00 a do 3 " " " S.

80.00 Set temp^y. Cor. to Sec. 32 & 33

Broken with guts, timber Beech, Elm &c.

T5 N R7 E. 2ⁿ Mer. Indiana

ch. 2^l h. 7.
West On Rand^m S. boundary of Sec. 32
17.00 a Brook 3 l^hs. wide Course S.
40.00 Set temp^y. q^r. Sec. post
80.00 Set temp^y. Cor. to Sec^s. 31 & 32
First 1/2 mile pretty good Beech land
last 1/2 wet Beech flat

West On Rand^m S. boundary of Sec. 31
25.00 a Brook 10 l^hs. wide Course S^W
34.00 a Do 8 " " " S.
40.00 Set temp^y. q^r. Sec. post
80.00 Intersected Range line 100 l^hs. North of the
Cor. to township 4 & 5 N. Ranges 6 & 7 East
First 1/2 mile Over flowed bottom, timber
Beech - last 1/2 over pretty good land tim^b. & some

Variation 5° 50' East

East On true line S. boundary of Sec. 31
40.00 Set q^r. Sec. post, from which
an Ash 12 in. dia. bears S 70 E 31 l^hs. dist. &
an Elm 8 " " " N 60 W 39 " "
80.00 Set post. Cor. to Sec^s. 31 & 32, from which
a Poplar 14 in. dia. bears N 35 W 17 l^hs. dist. &
a Beech 30 " " " S 48 E 24 " "

East On true line S. boundary of Sec. 32
40.00 Set q^r. Sec. post, from which
a Beech 18 in. dia. bears N 24 W 20 l^hs. dist. &
a Poplar 40 " " " S 30 E 27 " "
80.00 Set post. Cor. to Sec^s. 32 & 33, from which
a Beech 12 in. dia. bears N 43 W 10 l^hs. dist. &
a Do. 18 " " " S 22 E 21 " "

East On true line Sec. boundary of Sec. 33.
40.00 Set q^r. Sec. post, from which
a Beech 36 in. dia. bears S 57 W 22.

T5 N. R7 E. 2.nd Mer. Indiana
ch. lks.

a Beech 14 in. dia. bears N 62 E 26 lks. dist.
80.00 Set post Cor. to Secs. 33 & 34, from which
an Ash 14 in. dia. bears S 16 W 25 lks. dist. &
an Elm 8 " " " N 81 E 45 " "

East On true line S. boundary Sec. 34
40.00 Set q. Sec. post, from which
a Poplar 50 in. dia. bears S 25 E 12 lks. dist. &
a Sugar 24 " " " N 28 E 27 " "
80.00 Set post Cor. to Secs. 34 & 35. from which
a Hickory 9 in. dia. bears S 43 W 18 lks. dist. &
a Sugar 10 " " " N 57 E 34 " "

East On true line S. boundary of Sec. 35
40.00 Set q. Sec. post, from which
a Sugar 12 in. dia. bears N 23 W 19 lks. dist. &
a Beech 12 " " " S 27 E 26 " "
80.00 Set post Cor. to Secs. 35 & 36. from which
a Sugar 10 in. dia. bears N 24 E 10 lks. dist. &
a Beech 24 " " " S 33 W 20 " "

East On true line S. boundary of Sec. 36.
40.00 Set q. Sec. post, from which
a Beech 40 in. dia. bears S 60 W 13. lks. dist. &
a Do. 30 " " " S 75 E 32 " "
80.00 town Corner

East Boundary var. 5.50' E
North On E. boundary of Sec. 36
12.50 a Brook 3 lks. wide Course S. E.
19.30 a Beech 16 in. dia.
29.00 a Brook 3 lks. wide Course S. E.
39.00 a Do 2 " " " S. E.
40.00 Set q. Sec. post, from which
a Beech 15 in. dia. bears S 23 W 27 lks. dist. &
a — 13 " " " N 15 E 20 " "

T5 N R7 E. 2nd Mer. Indianach^d. lks.

- 55.00 a Beech 30 in. dia. in the line
 79.00 a Brook 30 lks. wide Course S. W.
 80.00 Set post cor. to Sect. 25 & 36, from which
 a Beech 7 in. dia. bears S 41 E 5 lks. dist. &
 a Maple 12 " " " N 1 W 28 " "
 Generally level Beech land &c.

North On E. boundary of Sec. 25

- 13.00 a Brook 3 lks. wide Course W.
 22.29 an Ash 36 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 16 in. dia. bears S 10 E 7 lks. dist. &
 a Do. 18 " " " N 7 W 12 " "
 78.70 a Gum 36 " "
 80.00 Set post Cor. to Sect. 24 & 25, from which
 a Beech 12 in. dia. bears S 2 E 19 lks. dist. &
 a Do. 12 " " " N 12 W 18 " "
 Level beech land-

North On E. boundary of Sec. 24.

- 25.00 a Brook 2 lks. wide Course E.
 27.00 a Beech 12 in. dia.
 32.50 a Brook 3 lks. wide Course ^{S.} E.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears N 9 E 15 lks. dist. &
 a Do. 20 " " " S 32 W 27 " "
 65.00 a P. Oak 30 " "
 66.00 a Brook 5 lks. wide Course W.
 70.00 a Do. 4 " " " W.
 80.00 Set post Cor. to Sect. 13 & 24, from which
 a Beech 30 in. dia. bears South 38 lks. dist. &
 an Ash 18 " " " N 2 W 33 " "
 Land level timber Beech Poplar - Sept. 27th 1806.

North On E. boundary of Sec. 13.

- 8.50 a Brook 3 lks. wide Course W.

St. Rye Twp. Mer. Indiana

447

ch. lks.

- 18.00 a Brook 3 lks. wide Course W.
 22.22 a Beech 18 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears N 9 E 27 lks. dist. &
 a Do 14 " " " S 4 E 40 " "
 66.00 a Beech 16 " "
 80.00 Set post Cor. to Sec. 12 & 13, from which
 a Beech 12 in. dia. bears S 29 W 13, lks. dist. &
 an Ash 24 " " " N 17 E 12 " "
 Level flat beech land timber Poplar, Beech, &c.

North On E. boundary of Sec. 12.

- 16.00 a Spring — lks. wide Course W.
 18.65 an Ash 30 in dia.
 32.50 a Brook 15 lks. wide Course W.
 40.00 Set q. Sec. post; from which
 a Beech 20 in. dia. bears S 20 E 29 lks. dist. &
 a Do. 16 " " " N 4 W 36 " "
 67.50 a Brook 2 lks. wide Course E.
 72.00 a Do. 2 " " " E.
 80.00 Set post Cor. to Sec. 1 & 12, from which
 a Beech 5 in. dia. bears N 67 W 9 lks. dist. &
 a Do. 12 " " " S 33 W 20 " "
 Hilly land timber Beech Poplar &c.

North On E. boundary of Sec. 1.

- 20.20 an Ash 16 in dia.
 40.00 Set q. Sec. post, from which
 a Beech 5 in. dia. bears S 41 E 16 lks. dist. &
 an Ash 12 " " " N 4 W 24 " "
 69.40 a Beech 12 " "
 80.00 Set post Cor. to Townships 5 & 6 N. Ranges 7 & 8 E.
 from which
 a Beech 30 in. dia. bears S 72 E 2 lks. dist. &
 a Do. 16 " " " N 62 W 27 " "
 Level land timber Beech, Poplar, Ash &c.

S. N. R. & E. 2nd Mer. Indiana

ch. lks

North Boundary

West On Rand^m S. boundary of Sec. 36, T. 6 N. R. 7 E.

25.00 a Brook 2 lks. wide Course N.

40.00 Set temp^y. q^r. See. post

61.50 a Brook 4 lks. wide Course N.

80.00 Set temp^y. Cor. to Sec^s. 35 & 36

Level land, timber Beech, Poplar, Ash &c.

West On Rand^m S. boundary of Sec 35, T. 6 N. R. 7 E.

27.00 a Brook 2 lks. wide Course S. W.

38.00 a Do. 6 " " " N. W

40.00 Set temp^y. q^r. See. post

50.00 a Brook 20 lks. wide Course S. W.

58.00 a Do. 20 " " " N. W.

65.50 a Do. 3 " " " N.

80.00 Set temp^y. Cor. to Sec^s. 34 & 35.Level wet land timbered with Beech, Elm &c.
Ash Poplar—

West On Brandon S. boundary of Sec. 34, T. 6 N. R. 7 E.

30.00 a Brook 6 lks. wide course N.

35.00 a river 2.00 " " " S. W.

40.00 Set temp^y. q^r. See. post80.00 Set temp^y. Cor. to Sec^s. 33 & 34.

Wet land timbered with Beech Elm &c.

West On Brandon S. boundary of Sec. 33 T. 6 N. R. 7 E.

40.00 Set temp^y. q^r. See. post

51.00 a Brook 20 lks. wide Course S. W.

80.00 Set temp^y. Cor. to Sec^s. 32 & 33

Over wet land timber Beech Maple Elm &c.

West On Brandon S. boundary of Sec. 32

13.00 a Brook 50 lks. wide Course S. W.

18.00 a Do. 50 " " " N. W.

23.00 a Do. 50 " " " S. W.

T6 N. R7 E. 2^d Mer. Indiana

449

ch. lks

40.00 Set q. Sec. post, temporarily.

80.00 Set temp. Cor. to Sec. 31 & 32.
Wet land timber beech Elm &c.

West On Random S. boundary of Sec. 31.

30.00 a Brook 3 lks. wide course S. W.

40.00 Set temp. q. Sec. post -

42.00 a Brook 3 lks. wide course S. W.

80.00 Intersected Henry's Range line 8.15 lks. S. of post. made
by Henry's ^{for the} corner of towns 5 & 6 N. R. 6 & 7 E.
Flat Beech land -

September 30th 1876. Variation 5° 50' E.
East On S. boundary of Sec. 31, T6 N. R7 E.

40.00 Set q. Sec. post, from which
a Beech 15 in. dia. bears N 8 W 14 lks. dist. &
a Do. 30 " " " S 84 E 21 " "

80.00 Set post Cor. to Sec. 31 & 32, T6 N. R7 E. from which
a Beech 24 in. dia. bears N 6 W 13 lks. dist. &
a Do. 18 " " " S 24 W 26 " "

East On S. boundary of Sec. 32, T6 N. R7 E.

40.00 Set q. Sec. post, from which
a Beech 16 in. dia. bears N 55 E 4 lks. dist. &
a Do. 16 " " " S 43 W 29 " "

80.00 Set post Cor. to Sec. 32 & 33, T6 N. R7 E. from which
a Beech 18 in. dia. bears N 42 W 15 lks. dist. &
a Do. 8 " " " S 18 W 20 " "

East On S. boundary of Sec. 33, T6 N. R7 E.

40.00 Set q. Sec. post, from which
a Gum 30 in. dia. bears West 24 lks. dist. &
a Beech 6 " " " N 72 E 24 " "

80.00 Set post Cor. to Sec. 33 & 34, T6 N. R7 E. from which
a Beech 3 in. dia. bears N 38 W 23 lks. dist. &
a W. Oak 30 " " " S 68 E 40 " "

T5 N R6E 2nd Mer. Ind^aCh^a. lks.

East On S. boundary of Sec. 34, T6 N. R. 7 E.

40.00 Set q^r. Sec. post, from which
 an Elm 48 in. dia. bears East 3 lks. dist. &
 a No. 30 " " " S 47 W 27 " "

80.00 Set post Cor. to Secs. 34 & 35, T6 N. R. 7 E. from which
 a Beech 9 in. dia. bears S 24 E 31, lks. dist. &
 a Poplar 36 " " " N 67 W 40 " "

East On S. boundary of Sec. 35, T6 N. R. 7 E.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia. bears N 76 W 31, lks. dist. &
 a No. 24 " " " S 64 E 39 " "

80.00 Set post Cor. to Secs. 35 & 36, T6 N. R. 7 E. from which
 a Beech 15 in. dia. bears N 80 W 5 lks. dist. &
 a No. 24 " " " S 58 E 25 " "

East On S. boundary of Sec. 36, T6 N. R. 7 E.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia. bears S 49 W 14 lks. dist. &
 a No. 12 " " " N 89 E 37 " "

80.00 Corner to Townships 5 & 6 N. Ranges 7 & 8 E.
 Surveyed by Alex^a. Holmes, D. S.

West Boundary (Resurvey)

North On E. boundary of Sec. 36, T5 N. R. 6 E.

40.00 Set q^r. Sec. post, from which
 a Beech 10 in. dia. bears N 24 W 8 lks. dist. &
 a No. 6 " " " S 24 E 16 " "

80.00 Set post Cor. to Secs. 25 & 36, T5 N. R. 6 E. from which
 a Beech 20 in. dia. bears N 42 E 9 lks. dist. &
 a W. Oak 15 " " " S 3 E 23 " "
 This mile over flat Beech timber land

North On E. boundary of Sec. 25, T5 N. R. 6 E.

17.00 a Beech 10 lks. wide Corner W.

40.00 Set q^r. Sec. post, from which
 an Elm 20 in. dia. bears S 59 W 6 lks. dist. &

451

T5 N. R6 E. 2^d. Mer. Indiana
 ch. lks
 a Gum 6 in. dia. beam N59 E 24 lks. dist. of
 80.00 Set post Cor. to Sec. 24 & 25, T5 N. R6 E, from which
 a Beech 10 in. dia. beam N32 W 14 lks. dist. of
 a Do. 8 " " " S85 E 25 " "
 Land &c. Same as on the last mile

North On E. boundary of Sec. 24, T5 N. R6 E.
 6.50 a Brook 10 lks. wide Course N
 40.00 Set q. Sec. post from which
 a Beech 15 in. dia. beam S83 E 6 lks. dist. of
 a Hickory 12 " " " N56 W 23 " "
 80.00 Set post Cor. to Sec. 13 & 24, T5 N. R6 E, from which
 a Beech 12 in. dia. beam S70 E 22 lks. dist. of
 a Gum 10 " " " N40 W 15 " "
 Land &c. Same as on the last mile

North On E. boundary of Sec. 13, T5 N. R6 E.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. beam N12 W 18 lks. dist. of
 a Do. 10 " " " S34 E 12 " "
 80.00 Set post Cor. to Sec. 12 & 13, T5 N. R6 E, from which
 a W. Ash 15 in. dia. beam N10 E 18 lks. dist. of
 a Beech 10 " " " N53 W 10 " "
 Land &c. of same quality but brushy

North On E. boundary of Sec. 12, T5 N. R6 E.
 9.00 a Brushy Pond
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. beam S66 E 17 lks. dist. of
 a W. Oak 20 " " " N82 W 19 " "
 80.00 Set post Cor. to Sec. 1 & 12, T5 N. R6 E, from which
 a Beech 10 in. dia. beam S25 W 5 lks. dist. of
 a Do. 8 " " " N9 E 30 " "
 Land the same quality as last mile

North On E. boundary of Sec. 1, T5 N. R6 E

T5 N. R7 E. 2^d Mer. Indiana

ch. P. lks.

- 37.50 a Creek 200 lks. wide Course S.W.
 40.00 Set q^r. Sec. post, from which
 an Elm 10 in. dia. bears North 31 lks. &
 a Beech 6 " " " S 23 W 10 "
 80.00 Set post Cor. to Township N. 5 & 6 North
 Range 6 & 7 E, from which
 a Beech 36 in. dia. bears N 22 W 10 lks. dist
 a do 18 " " " S 31 E 42 " "
 This Cor. was established by Holmes
 Surveyed by Arthur Henric, U.S.

Subdivision.

- North Between Sec. 35 & 36, T5 N. R7 E
 40.00 Set q^r. Sec. post, bearing trees omitted
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
 a W. Oak 20 in. dia. bears N 10 W 16 lks. dist. &
 a Hickory 10 " " " S 11 E 22 "
 This mile over rolling land timber Oak, Hickory, and
 Beech, undergrowth Beech Hickory and Dogwood - - -

East On Random between Sec. 25 & 36.

- 40.00 Set temp^y. q^r. Sec. post.
 80.75 Intersected the E. boundary 96 lks. S. of post.
 Land Rich and broken

West Corrected between Sec. 25 & 36.

- 40.37 1/2 Set q^r. Sec. post at average dist. from which
 a Beech 6 in dia. bears N 32 E 11 lks. dist. &
 a Dogw? 6 " " " S 75 E 13 " "
 80.75 to Section Corner

North Between Sec. 25 & 26.

- 40.00 Set q^r. Sec. post, from which
 a Elm 20 in. dia. bears N 50 W 21 lks. dist. &
 a Beech 15 " " " S 1 E 15 " "
 55.50 a Brook 25 lks. wide Course S.W.

S. N. R. E. I. Mer. Indiana

Ch. P. R. R.

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
 a Beech 20 in. dia. bears S 3 E 16 lbs. dist. &
 a Do. 24 " " " N 81 W 33 " "
 Land rolling timber Beech.

East On Prandom between Secs. 24 & 25
 25.50 a Brook 20 lbs. wide Course S. W.
 40.00 Set temp. q. Sec. post.
 80.73 Intersected the E. boundary 50 lbs. South of post
 Land rolling timber Beech undergrowth the same.

West Corrected between Secs. 24 & 25.
 40.38 1/2 Set q. Sec. post. at average dist. from which
 a Beech 24 in. dia. bears S 34 W — lbs. dist. &
 a Ironwood 6 " " " N 86 E 9 " "
 80.73 to Section Corner. Oct. 30th 1806.

North Between Secs. 23 & 24.
 40.00 Set q. Sec. post, from which
 a Gum 10 in. dia. bears S 66 E 6 lbs. dist. &
 a Beech 8 " " " N 86 W 6 " "
 80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which
 a Beech 20 in. dia. bears S 53 W 10 lbs. dist. &
 a Dogwood 6 " " " N 83 E 15 " "
 Land timber and undergrowth the same.

East On Prandom between Secs. 13 & 24
 40.00 Set temp. q. Sec. post.
 56.00 a Brook 10 lbs. wide Course N. W.
 60.00 a Do. 6 " " " S. W.
 63.00 a Do. 6 " " " N. W.
 80.50 Intersected the E. boundary 145 lbs. S. of post
 Land timber &c. same as last

T5 N R7 E 2nd Mer. Indiana

Ch. P. 164

West Corrected between Sec^s. 13 & 24.

40.25 Set of Sec. post, at average dist. from which
 a Beech 30 in. dia. bears S 25 N 18 lbs. dist. &
 a Poplar 18 " " " N 48 E 21 " "

80.50 to Section Corner.

North Between Sec^s. 13 & 14.

38.00 a Brook 20 lbs. wide Course N. E.

40.00 Set of Sec. post, from which
 a Beech 20 in. dia. bears S 8 E 35 lbs. dist. &
 a Poplar 50 " " " N 43 N 25 " "

80.00 Set post Cor. to Sec^s. 11, 12, 13 & 14, from which
 a Beech 10 in. dia. bears S 25 E 25 lbs. dist. &

a No. 12 " " " S 87 N 27 " "

Land timber &c. Same as last Note

East On Prandom between Sec^s. 12 & 13.

40.00 Set temp. of Sec. post

81.00 Intersected the E. boundary 1.60 lbs. S. of post
 Land the Same.

West Corrected between Sec^s. 12 & 13.

40.50 Set of Sec. post at average dist. from which
 a Beech 10 in. dia. bears N 7 E 10 lbs. dist. &
 a No. 20 " " " S 33 E 25 " "

81.00 to Section Corner

North Between Sec^s. 11 & 12.

15.00 A. Brook 20 lbs wide Course S. W.

24.50 a No. 10 " " " S. W.

40.00 Set of Sec. post, from which
 a Beech 8 in. dia. bears S 21 E 24 lbs. dist. &
 a No. 20 " " " N 85 N 6 " "

455

S 5th R 7 E. 2^d Mer. Ind^d.

ch. 1st 1/2

80.00 Set post Cor. to Sec^s. 1, 2, 11, & 12, from which
a Beech 15 in. dia. bears N 19 E 12 lbs. dist. &
a Do. 10 " " " S 19 W 30 " "
Land timber &c. the same. Oct. 31st 1806.

East On Prandom between Sec^s. 1 & 12

40.00 Set temp^y. g^f. Sec. post

80.00 Intersected the E. boundary 20 lbs. S. of post
Land the same as last mile -

West Corrected between Sec^s. 1 & 12.

40.00 Set g^f. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 5 E 21 lbs. dist. &
a Do. 10 " " " N 23 W 7 " "

80.00 to Section Corner

North Between Sec^s. 1 & 2.

1.15 a Beech 10 in. dia.

40.00 Set g^f. Sec. post, from which
a Beech 24 in. dia. bears East 19 lbs. dist. &

a Do. 12 " " " N 40 W 10 " "
82.50 ^{Intersected N. boundary 69 lbs. E. of post} Set post Cor. to Sec^s. 1 & 2, from which
a Beech 2 in. dia. bears N 63 E 19 lbs. dist. &
a Do. 18 " " " N 33 W 2. " "
Land timber &c. same as last mile -

North Between Sec^s. 34 & 35.

40.00 Set g^f. Sec. post, from which
a Beech 6 in. dia. bears S 71 W 8 lbs. dist. &
a Sugar 10 " " " S 16 E 24 " "

46.00 a Brook 15 lbs. wide Course W.

62.80 a Beech 18 in. dia.

80.00 Set post Cor. to Sec^s. 26, 27, 34 & 35, from which

T5 N R7 E 2^d Mer. Indianach. 1st m.

a Beech 8 in. dia. bears S 10 E 7 lks. dist. 4

a Do. 10 " " " S 86 W 15 " "

Land rolling and rich - timber Oak Poplar Beech
undergrowth Beech &c.

East On Bandon between Secs. 26 & 35.

34.00 a Brook 10 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 12 lks. S. of post

Land the same as last Mile

West Corrected between Secs. 26 & 35.

40.00 Set q. Sec. post, at average dist. from which

a W. Ash 12 in. dia. bears N 21 E 10 lks. dist. 4

a Dogwood 6 " " " S 6 W 20 " "

80.00 to Section Corner

North Between Secs. 26 & 27

25.00 a Brook 10 lks. wide Course S. W.

38.20 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which

a Beech 15 in. dia. bears S 14 W 22 lks. dist. 4

a Do. 20 " " " N 77 E 20 " "

46.50 a Brook 10 lks. wide Course W.

53.50 a Beech 20 in. dia. bears

65.00 a Brook 10 lks. wide Course S. W.

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which

a Beech 10 in. dia. bears S 1 W 52 lks. dist. 4

a Do. 10 " " " N 37 E 34 " "

Land the same as last Mile

East On Bandon between Secs. 23 & 26.

40.00 Set temp. q. Sec. post.

457

T5 N R7 E. 2nd Mer. Indiana

ch. lks.

37. 00 a Brook 10 lks. wide Course South
 80. 00 Intersected the N. & S. line 6 lks. S. of post.
 Land timber &c. Same as on the last. mile

West Corrected between Sec. 25 & 26.

40. 00 Set of. Sec. post, at average dist. from which
 a Beech 24 in. dia. bears N 80 E 13 lks. dist. &
 a Do. 24 " " " S 1 N 19 " "
 80. 00 to Section Corner

North Between Sec. 22 & 23.

1. 60 a Poplar 18 in. dia.
 40. 00 Set of. Sec. post, from which
 a Beech 30 in. dia. bears S 1 N 41 lks. dist. &
 a Dogwood 6 " " " N 7 N 17 " "
 80. 00 Set post cor to Sec. 14, 15, 22 & 23, from which
 a Gum 10 in. dia. bears S 3 N 20 lks. dist. &
 a Do. 10 " " " S 6 N 14 " "
 Land level timber Beech &c.

East On Prandom between Sec. 14 & 23.

40. 00 Set temp. of. Sec. post
 79. 80 Intersected the N & S. line 10 lks. N. of post
 Land level, timber Beech &c.

West On true line between Sec. 14 & 23

39. 90 Set of. Sec. post, at average dist. from which
 a Beech 10 in. dia. bears S 82 E 5 lks. dist. &
 a Do. 10 " " " S 62 N 25 " "
 79. 80 to Section Corner

North Between Sec. 14 & 15.

16. 50 a Beech 15 in. dia.

S 5 N R 7 E, 2nd Mer. Indiana

ch. p. lks

- 40.00 Set q. Sec. post, from which
a Beech 2 in. dia. bears S 27 W 24 lks. dist. 4
a No. 10 " " " S 43 E 16 " "
- 80.00 Set post. Cor. to Secs. 10, 11, 14 & 15, from which
a Sugar 10 in. dia. bears S 14 W 22 lks. dist. 4
a No. 12 " " " N 27 E 18 " "
- Land the same undergrowth Spicewood Beech &c.
November 1st 1886.

- East On Pradom between Secs. 11 & 14
1.50 a Brook 50 lks. wide Course N. W.
40.00 Set temp. q. Sec. post.
46.00 a Brook 50 lks. wide Course S. W.
80.00 Intersected the N. & S. line 25 lks. S. of post.
Land the same as on the last mile

- West Corrected between Secs. 11 & 14.
40.00 Set q. Sec. post, at average dist. from which
a Beech 20 in. dia. bears S 24 W 25 lks. dist. 4
a No. 24 " " " N 41 E 32 " "
- 80.00 to Section Corner

- North Between Secs. 10 & 11.
32.00 a Brook 10 lks. wide Course W.
40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears S 55 W 13 lks. dist. 4
a No. 10 " " " N 86 E 14 " "
- 75.23 a Brook 10 lks. wide Course W.
80.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which
a Beech 15 in. dia. bears S 1 W 91 lks. dist. 4
a No. 20 " " " N 24 E 5 " "
- Land timber same as on the last mile

459

S 5 N R 7 E 2^d Mer. Indiana

Ch. M.

East On Prandom between Sec. 2 & 11.

40.00 Set temp. g. Sec. post

80.00 Intersected the N. & S. line 1.00 lks. N. of post
Land timber &c. Same as on the last mile.

West Corrected between Sec. 2 & 11.

40.00 Set g. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 16 W 20 lks. dist. &
a No. 12 " " " N 58 E 20 " "

80.00 to Section Corner

North Between Sec. 2 & 3.

30.50 a Brook 10 lks. wide Course West

36.10 a Beech 20 in. dia.

40.00 Set g. Sec. post, from which
a Beech 20 in. dia. bears N 42 E 12 lks. dist. &
a No. 24 " " " N 38 W 9 " "

80.68 Intersected the N. boundary 94 lks. N. of post
Set post Cor. to Sec. 2 & 3, from which
a Beech 10 in. dia. bears N 47 E 18 lks. dist. &
a No. 10 " " " N 41 W 13 " "
Land level timber Beech &c.

North Between Sec. 33 & 34.

40.00 Set g. Sec. post, from which
a Poplar 1 in. dia. bears N 22 W 3 lks. dist. &
a Maple 6 " " " N 20 E 4 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 10 in. dia. bears N 44 E 16 lks. dist. &
a Sugar 12 " " " S 33 E 23 " "
This mile over flat land timber Beech.

East On Prandom between Sec. 27 & 34

460

S 5th N 7th E. 2nd Mer. Ind. a.

ch. 2nd 1/2

40.00 Set q. Sec. post temporarily in brook 10th S.
80.00 Intersected the N & S. line 50th S. of post
Rolling land timber same as on last mile

West Corrected between Sec. 27 & 34

40.00 Set q. Sec. post at average dist. from which
a Beech 24 in. dia. bears S 8 E 14th dist. 5
a do. 12 " " " N 60 W 16 " "
80.00 to Sec. Corner.

North Between Sec. 27 & 28

40.00 Set q. Sec. post, from which
a Beech 22 in. dia. bears S 10 E 21th dist. 4
a Gum 12 " " " S 82 W 4 " "
55.00 a B. Oak 18 " "
80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 24 in. dia. bears S 57 W 31th dist. 4
a W. Oak 40 " " " N 84 E 20 " "
Over level beech timbered land

East On Random between Sec. 22 & 27.

40.00 Set temp. q. Sec. post
44.00 a Brook 10th wide course S.
79.94 Intersected the N & S. line 37th S. of post.
Land timber same as last mile

West Corrected between Sec. 22 & 27.

39.97 Set q. Sec. post at average dist. from which
a B. Oak 24 in. dia. bears N 62 E 41th dist. 4
a Beech 20 " " " South 15 " "
79.94 to Sec. Corner

North Between Sec. 21 & 22

461

T5 N 107 E. 2nd Mer. Indiana

ch. 1/2 m.

- 40.00 Let gr. Sec. post, from which
a Beech 10 m. dia. bran, N 86 E 44 m. dist. of
a B. Oak 10 " " " N 18 W 4 " "
- 80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 10 m. dia. bran, N 82 E 16 m. dist. of
a Gum 8 " " " S 2 W 26 " "
Land timber &c. Same as on the last mile

East On Rand^m. between Sec. 15 & 22

- 19.00 a Brook 10 m. wide Course N.
- 40.00 Let temp^y. gr. Sec. post
- 80.00 Intersected the N & S line at the post
Land timber &c. Same as on the last mile

West On true line between Sec. 15 & 22

- 40.00 Let gr. Sec. post at average dist. from which
a Beech 6 m. dia. bran, N 46 W 10 m. dist. of
a Gum 20 " " " S 84 E 25 " "
- 80.00 to Sec. Corner

North Between Sec. 15 & 16

- 35.00 a Brook 10 m. wide Course N. W.
- 38.50 a Beech 10 m. dia.
- 40.00 Let gr. Sec. post, from which
a Beech 19 m. dia. bran, N 47 W 3 m. dist. of
a Do. 15 " " " S 86 E 19 " "
- 64.00 a Beech 20 " "
- 80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 6 m. dia. bran, N 25 E 7 m. dist. of
a Do 20 " " " N 45 W 7 " "
Land timber &c. Same as on the last mile

East On Rand^m. between Sec. 10 & 15

S. N. R. & E. 2^d Mer. Indiana

ch. lks

40.00 Set tempy. q^r. Sec. post

75.00 a Creek 20 lks. wide Course S. W.

79.50 Intersected the N & S. line 50 lks. N. of post. Land &c. Same as on the last mile

West Connected between Sec. 10 & 15

39.75 Set q^r. Sec. post at average dist. from which
a Beech 8 in. dia. bears S 3 E 12 lks. dist. of
a do 20 " " " N E 27 " "

79.50 to Sec. Corner

North Between Sec. 9 & 10

30.00 a Bushy piny thicket 10 chains wide

40.00 Set q^r. Sec. post, from which
a Beech 10 in. dia. bears S 47 W 15 lks. dist. &
a do. — " " " S 16 E 22 " "

52.00 a Creek 50 lks. wide Course W.

80.00 Set post cor. to Sec. 3, 4, 9, & 10, in a Creek 2.00 lks.
wide Course W. no bearings trees.
Land bushy. November 1st 1806.East On Rand^m. between Sec. 3 & 10

2.00 to N. Side of the Creek

10.00 to Same Creek Course S. W.

40.00 Set tempy. q^r. Sec. post79.00 Intersected the N & S. line 73 lks. N. of post
Land timber &c. Same as on the last mile

West Connected between Sec. 3 & 10

39.50 Set q^r. Sec. post at average dist. from which
a Beech 20 in. dia. bears S 85 E 4 lks. dist. of
a do. 15 " " " N 22 W 20 " "

79.00 to Sec. Corner

463

T5 N R7 E, 2nd Mer. Indiana

Ch. lks

North Between Secs. 3 & 4

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bears S 6 E 28 lks. dist. &
a No. 10 " " " S 80 W 16 " "

46.10 a Beech 20 " "

78.90 Intersected N. boundary 30 lks. E. of post
Set post Cor. to Secs. 3 & 4, from which
a W. Oak 20 in. dia. bears S 30 E 16 lks. dist. &
a Beech 10 " " " S 10 W 20 " "
Rich level land timber Beech &c.
November 7th 1886.

North Between Secs. 32 & 33.

34.80 a Beech 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 40 in. dia. bears S 30 W 26 lks. dist. &
a No. 10 " " " S 15 E 54 " "

61.80 a Beech 20 " "

64.50 a Brook 10 lks. wide Course E.

80.00 Set post Corner to Secs. 28 29. 32 & 33, from which
a Hickory 20 in. dia. bears S 13 E 31 lks. dist. &
a Poplar 20 " " " N 17 W 27 " "
Land level timber Beech -

East On Prandon between Secs. 28 & 33.

40.00 Set temp. of Sec. post

79.90 Intersected the N. & S. line 90 lks. S. of post
Land timber &c. Same as on last mile -

West Corrected between Secs. 28 & 33.

39.95 Set of Sec. post, at average dist. from which
a Beech 20 in. dia. bears N 32 E 23 lks. dist. &
a No. 30 " " " S 32 W 20 " "

464

S. N. R. E. 2^d Mer. Indiana

Ch. P. M.

79.90 to Section Corner

North Between Sec^s. 28 & 29.

38.50 a W. Oak 30 in. dia.

40.00 Set q^r. Sec. post, from which
a W. Oak 30 in. dia. bears S 3 E 48 lbs. dist. &
a Beech 10 " " " S 35 W 13 " "

58.90 a Poplar 10 " "

70.25 a Brook 10 lbs wide course W.

80.00 Set post Cor. to Sec^s. 20, 21, 28 & 29, from which
a Beech 12 in. dia. bears S 25 E 21 lbs. dist. &
a Sugar 30 " " " S 79 W 6 " "
Land timber &c. Same as last mile.East On Random between Sec^s. 21 & 28

39.29 a Brook 10 lbs. wide course S. W.

40.00 Set temp^y. q^r. Sec. post79.95 Intersected the N. & S. line 95 lbs. S. of post
Land the same as on last mileWest Corrected between Sec^s. 21 & 28.39.97 $\frac{1}{2}$ Set q^r. Sec. post, at average dist. from which
a Beech 15 in. dia. bears S 21 W 36 lbs. dist. &
a No. 6 " " " S 32 E 28 " "

79.95 to Section Corner

North Between Sec^s. 20 & 21.

30.00 a Brook 10 lbs. wide Course S. W.

40.00 Set q^r. Sec. post, from which
a Beech 20 in. dia. bears S 5 E 23 lbs. dist. &
a Poplar 20 " " " S 59 W 13 " "80.00 Set post Corner to Sec^s. 16, 17, 20 & 21, from which
a Gum 10 in. dia. bears N 75 E 7 lbs. dist. &

465

S. N. R. E. 2nd Mer. Indiana

Ch. P. Lhs.

a Cherry 8 in. dia. bears it $N 7\frac{1}{2} W 5$ lks. dist. &
Land level timber Beech undergrowth Briers -

East On Prandom between Sec^s. 16 & 21.

40.00 Set temp^y. q^r. Sec. post.

79.98 Intersected the N. & S. line 1.00 lks. S. of post.
Land the Same

West Corrected between Sec^s. 16 & 21.

39.99 Set q^r. Sec. post, at average dist. from which
a Beech 10 in. dia. bears $S 75 E 17$ lks. dist. &
a Do. 12 " " " $N 51 E 13$ " "

79.98 to Section Corner

North Between Sec^s. 16 & 17.

19.45 a Beech 20 in. dia.

38.00 a Brook 15 lks. wide course N. W.

40.00 Set q^r. Sec. post, from which
a Beech 20 in. dia. bears $N 77 W 13$ lks. dist. &
a Do. 10 " " " $N 52 E 10$ " "

60.00 a Beech 20 " "

80.00 Set post Cor. to Sec^s. 8, 9, 16, & 17, from which
a Beech 20 in. dia. bears $N 75 E 8$ lks. dist. &
a Do. 20 " " " $S 83 W 19$ " "
Land the Same -

East On Prandom between Sec^s. 9 & 16.

40.00 Set temp^y. q^r. Sec. post, ~~at average dist. from which~~

79.90 Intersected the N. & S. line 50 lks. S. of post.
Land &c. Same as last mile -

West Corrected between Sec^s. 9 & 16

39.95 Set q^r. Sec. post, at average dist. from which

T5 N. R7 E. 2^d Mer. Indiana

Ch. P. Lk.

a Beech 10 in. dia. bears N66 W 22 lbs. dist. 4

a Do. 20 " " " N40 E 18 " "

79.90 to Section Corner-

North Between Secs. 8 & 9.

40.00 Set of. Sec. post, from which

a Beech 20 in. dia. bears S3 E 55 lbs. dist. 4

a Do. 24 " " " N75 W 16 " "

75.50 a Brook 40 lbs. wide Course S. W.

80.00 to a Beech 8 in. dia. Cor of Secs. 4, 5, 8 & 9.

Land flat timber Beech-

East On Prandom between Secs. 4 & 9.

38.00 a Brook 2.00 lbs. wide Course N. W

40.00 Set temp. of. Sec. post

47.50 a Brook 2.00 lbs. wide Course S. W.

71.50 a Do. 1.00 " " " N. W.

80.06 Intersected the N. & S. line. 1160 lbs. S. of post

Land the same.

West Corrected between Secs. 4 & 9.

40.03 Set of. Sec. post, at average dist. from which

a Sycamore 20 in. dia. bears N15 W 31 lbs. dist. 4

a Do. 24 " " " N68 E 32 " "

80.06 to Sec. Corner

North Between Secs. 4 & 5

6.20 a Poplar 30 in. dia.

27.00 an Elm 20 " "

33.00 a Creek 300 lbs. wide Course N. W.

40.00 Set of. Sec. post, from which

a Sycamore 10 in. dia. bears S11 W 40 lbs. dist. 4

a Do. 10 " " " S69 E 24 " "

467

S 5 N R 7 E. 2^d, Mer. Indiana

ch 2th
78.85 Intersected N. boundary 104 lks. E. of post
Set post Cor. to Sec. 4 & 5, from which
a Beech 20 in. dia. bears S 45 W 3 lks. dist. &
an Elm 20 " " " N 41 E 23 " "
Land timbered. Same as on the last mile
November 4th 1806.

North Between Sec. 31 & 32

11.90 w W. Oak 48 in. dia.
40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears S 53 W 19 lks. dist. &
an Elm 10 " " " S 85 E 27 " "
42.50 a Brook 29 lks. wide Course West.
80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 10 in. dia. bears S 62 E 4 lks. dist. &
a Poplar 15 " " " S 85 W 26 " "
This mile over Beech timbered Land.

East On Pradoun between Sec. 29 & 32.

25.50 a Brook 25 lks. wide Course S.
40.00 Set temp. q. Sec. post
52.00 a Brook 15 lks. wide Course South
79.18 Intersected the N & S. line 57 lks. S. of post
Land the Same as last.

West Corrected between Sec. 29 & 32.

39.59 Set q. Sec. post, at average dist. from which
a Beech 24 in. dia. bears N 20 W 17 lks. dist. &
a W. Oak 30 " " " N 80 E 25 " "
79.18 to Section Corner

West Between Sec. 30 & 31.

40.00 Set q. Sec. post, from which

ch. lks.

- a W. Oak 40 in. dia. bears N 61 W 4 lks. dist. 4
 a Gum 6 " " " S 82 E 3 1/2 lks. dist. 4
 81.90 Intersected the W. boundary 2.60 lks. N of post
 Set post cor. to Sec. 30 & 31. from which
 a Beech 10 in. dia. bears S 86 E 8 lks. dist. 4
 a Maple 10 " " " S 28 W 23 " "
 Land the same as on last mile.

North Between Sec. 29 & 30.

- 31.10 a Poplar 20 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bears S 2 E 61 lks. dist. 4
 a No. 10 " " " N 1 W 17 " "
 80.00 Set post cor. to Sec. 19, 20, 29 & 30, from which
 a Gum 10 in. dia. bears S 25 E 17 lks. dist. 4
 a Beech 10 " " " N 20 E 12 " "
 Flat land timber Beech Oak Hickory Gum &c.

East On Random between Sec. 28 & 29.

- 40.00 Set temp. q. Sec. post.
 79.00 Intersected the N. & S. line at the post
 Land the same as last mile

West Corrected between Sec. 20 & 29.

- 39.50 Set q. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears S 71 E 25 lks. dist. 4
 a No. 10 " " " S 54 W 25 " "
 79.00 to Section Corner

West Between Sec. 19 & 30,

- 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears N 62 E 35 lks. dist. 4
 a No. 24 " " " S 68 W 16 " "

469

S. N. R. E. I. Mer. Indiana

Ch. Lhs
81.78 Intersected the W. boundary 2.72 lks. N. of post.
Set post cor. to Sect. 19 & 20, from which
a Beech 15 in. dia. bears S 42 W 10 lks. dist. &
a No. 10 " " " S 64 E 2 " "
Land flat-timber Beech, Oak, & Hickory.

North Between Sect. 19 & 20.

40.00 Set q. Sec. post, from which
a Beech 24 in. dia. bears S 53 E 3 lks. dist. &
a No. 10 " " " S 77 W 23 " "

80.00 Set post cor. to Sect. 17, 18, 19 & 20, from which
a Gum 10 in. dia. bears S 73 E 14 lks. dist. &
a No. 8 " " " S 69 W 9 " "
Land the same.

East On Random between Sect. 17 & 20.

40.00 Set temp. q. Sec. post

79.50 Intersected the N. & S. line 10. lks. S. of post
Land level timber, Beech -

West Corrected between Sect. 17 & 20.

39.75 Set q. Sec. post, at average dist. from which
a Dogwood 6 in. dia. bears N 13 E 5 lks. dist. &
a Beech 10 " " " S 89 W 11 " "

79.50 to Section Corner

West Between Sect. 18 & 19.

19.25 a W. Oak 20 in. dia. bears

40.00 Set q. Sec. post, from which

a Beech 24 in. dia. bears S 73 E 35 lks. dist. &
a Gum 20 " " " N 85 E 39 " "

82.42 Intersected the W. boundary 1.65 lks. N. of post
Set post cor. to Sect. 18 & 19, from which

470

S. N. R. E. 2nd Mer. Indiana

Chs. Chs

a Gum 20 in. dia. bears S 20 E 4 lks. dist. 4
 a Ironwood 5 " " " S 59 W 9 " "
 Land the same -

North Between Sect. 17 & 18.

12.10 a Beech 15 in. dia.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bears S 81 W 11 lks. dist. 4

a No. 15 " " " S 84 E 15 " "

66.75 a Beech 15 " "

67.00 a Bushy thicket

80.00 Set post. Cor. to Sect. ^{7, 8} 17 & 18, from which

a Beech 10 in. dia. bears N 7 E 75 lks. dist.

and no other tree -

Land timber &c. same as on the last mile

East On Random between Sect. 8 & 17

37.50 a Brook 10 lks. wide course N

40.00 Set temp. q. Sec. post

79.00 Intersected the N. & S. line 37 lks. S. of post

Land level and verry bushy

West Corrected between Sect. 8 & 17

39.50 Set q. Sec. post, at average dist. from which

a Hickory 20 in. dia. bears S 27 W 16 lks. dist. 4

a Sugar 12 " " " S 65 E 17 " "

79.00 to Section Corner

West Between Sect. 7 & 18.

40.00 Set q. Sec. post, from which

a Maple 6 in. dia. bears - 48 E 17 lks. dist. 4

an Elm 20 " " " N 62 W 8 " "

53.00 Intersected the W. boundary 1.95 lks. N. of post

471

S 5 N R 7 E 2^d Mer. Indiana

Ch. lks

Set post Cor. to Sect. 7 & 18, from which
a Beech 10 in. dia. bears S 10 W 14 lks. dist. &
a No. 20 " " " N 14 E 37 " "
Land flat -

North

Between Sect. 7 & 8
40.00 Set q. Sec. post, from which
a Beech 15 in. dia. bears S 6 E 14 lks. dist. &
a No. 10 " " " N 59 E 10 " "
41.50 a Poplar 40 " "
64.00 a Brook 1.00 lks. wide Course W.
71.00 a part of the same " " West
80.00 Set post Cor. to Sect. 5, 6, 7, & 8, from which
a Beech 10 in. dia. bears S 46 W 14 lks. dist. &
a No. 10 " " " S 4 E 26 " "
Land the same as last mile -

East

On Prandon between Sect. 5 & 8
24.50 a Creek 2.00 lks. wide course S. W.
28.00 the same 2.00 " " " N. W.
30.30 a No. 2.00 " " " S. W.
40.00 Set temp. q. Sec. post.
78.90 Intersected the N. & S. line, at the post.
Land &c. same as last.

West

Corrected between Sect. 5 & 8.
39.45 Set q. Sec. post, at average dist. from which
an Elm 6 in. dia. bears S 5 E 7 lks. dist. &
and no other tree -
78.90 to Section Corner

West

Between Sect. 6 & 7.
38.00 a Brook 2.00 lks. wide Course N. W.

472

S 5 N R 7 E, 2^d. Mer. Indiana

ch. l. m.

40.00 Set of. Sec. post. from which
a Sycamore 10 in. dia. bray N 57 E 28 l. m. dist. of
a Hackberry 12 " " " S 24 E 10 " "
82.60 Intersected the N. boundary 135 l. m. N. of
post. Set post Cor. to Sec. 6 of 7, from which
a Beech 12 in. dia. bray S 65 E 36 l. m. dist. of
a W. Oak 20 " " " S 40 W 11 " "
Flat wet land

North Between Sec. 5 of 6

40.00 Set of. Sec. post. from which
a Poplar 40 in. dia. bray S 15 N 9 l. m. dist. of
a Beech 10 " " " S 74 E 16 " "
78.89 Intersected the N. boundary 89 l. m. N. of
post. Set post Cor. to Sec. 5 of 6, from which
a Beech 10 in. dia. bray S 22 E 13 l. m. dist. of
a Do. 12 " " " S 29 W 15 " "
Sand level, timber Beech, white pine,
Spice wood, & Beech

November 7th 1886

Surveyed By Arthur Kenrie
Deft. Surveyor

Comp.

Certify that the foregoing transcript of
field notes, of township N^o. 5 N, Range N^o.
7 East 2nd Mer. Indiana, has been com-
pared with the original notes in this
Office, and found to be correct.

Surveyor General's Office
Cincinnati, Sept. 16th 1843

William Johnston
Sur. Genl.